





SIGNAMARK® GLASS COLLECTIONS Exterior Doors













SIGNAMARK®

GLASS COLLECTIONS | Exterior Doors

- 4 | GLASS COLLECTIONS OVERVIEW
- 6 | GLASS OFFERING CHART
- 7 | ENERGY RATINGS CHART
- 8 | CRAFTSMANSHIP & GLASS STYLES
- 10 | ST. JANE®
- 12 | CRYSTAL
- 12 | CAMERON™
- 13 | STELLAR™
- 14 | TURQUOISE™
- 16 | PROVENCE™
- 18 | LEHIGH®
- 20 | LONE STAR™
- 21 I EMERALD™
- 22 | SOLITAIRE™
- 24 | CLASSIC
- 26 | WARRANTY
- 27 | BEAUTY SHOT GALLERY & WEB INFO

Your front entryway expresses the personality of your home. It's the first greeting to visitors and your individual contribution to your neighborhood. Signamark's decorative glass enhances your home's curb appeal and its resale value. Our skilled craftsmen carefully cut, polish and finish each piece of glass into artistically designed patterns. Our decorative glass doorlites are triple-pane insulated for an airtight and energy efficient seal.





GLASS COLLECTIONS

St. Jane[®] Collection Zinc | Patina | Brass



Pages 10-11

Crystal Collection Zinc



Page 12

Cameron™ Collection Zinc



Page 12

Stellar™ Collection Patina




Page 13

Turquoise™ Collection Zinc




Pages 14-15

Provence™ Collection Zinc | Patina | Brass



Pages 16-17

Lehigh® Collection Zinc | Patina



Pages 18-19

Lone Star™ Collection Zinc | Patina



Page 20

Emerald™ Collection Zinc



Page 21

Solitaire™ Collection Zinc | Brass



Pages 22-23

Classic Collection Zinc | Brass



Pages 24-25

GLASS OFFERING


	×	ion		color*		0		ď		٠,٠	ی ج	z		, y	ەر.	.
Sho	pe Descript	Ø	¢,c	7 1/2 x 18 1/2	Ġ ^{ĸ.}	Jave	ystal Ystal	nero	All Aux	dio,	yen.	idh	ie fin	erdis	itair	ssi
	Mini Lite	110	W	7 1/2 x 18 1/2	Х			-		•		•	X	-	X	:
	Fanlite	400	W	21 7/8 x 9 7/8	χ			X	Х	Х			χ	χ	χ	
	Fanlite	300	W	19 1/2 x 9 3/4	X					X						
	Craftsman	420	W	23 x 13 1/8			X				X					
	Craft Arch	429	W	23 x 13 1/8		X					X					
	Half Lite	430	W, T	22 x 36	X		X	X	X	X	X		X	X	X	
	Half Lite R-Top	439	W	22 x 36	X									X		ORS
	3/4 Oval	150	W	14 x 37	X			X	X	X		X		X	X	DOOR
	3/4 Oval	550	Ī	16 1/2 x 39	X			X	X	X		X		X		
	Center Arch	243	W, T	8 x 42	X	X		X	X	X		X	X	X		
	3/4 Lite	440	Ţ	22 x 47 7/8	X				X		X				X	
	Full Lite	460	W, T	22 x 63 7/8	X				X	X	X			X	X	
	Full Lite	360	W	20 x 63 7/8	X						X					
	Full Lite 8FT	480	W	22 x 79 15/16	X						X					
	Half Lite	230	W, T	8 x 36	X		X	X	X	X	X			X	X	
	Half Lite R-Top	239	W	8 x 36	Х									X		ES :
	Center Arch	243	W, T	8 x 42	Х	χ		X	χ	X		χ	χ	χ		SIDELITES
	3/4 Lite	240	W, T	8 x 47 7/8	Х			X	χ	X	X			X	X	· SIE
	Full Lite	160	W, T	7 x 63 7/8	X	X	X	X	Х	X	X	X	Х	X	X	

ENERGY RATINGS

	pe Descript	ion	Ġ	1e	*ot*	
Sho	he Descrit	Ø	MFRCS	1e	tol SHE	
	Mini Lite	110	1/4 Lite	0.19	0.07	
	Fanlite	400	1/4 Lite	0.19	0.07	
	Fanlite	300	1/4 Lite	0.19	0.07	
	Craftsman	420	1/4 Lite	0.19	0.07	
	Craft Arch	429	1/4 Lite	0.19	0.07	
	Half Lite	430	Half Lite	0.23	0.13	
	Half Lite R-Top	439	Half Lite	0.23	0.13	
	3/4 Oval	150	1/4 Lite	0.19	0.07	
	3/4 Oval	550	Half Lite	0.23	0.13	
	Center Arch	243	1/4 Lite	0.19	0.07	
	3/4 Lite	440	3/4 Lite	0.25	0.18	
	Full Lite	460	Full Lite	0.28	0.24	
	Full Lite	360	Full Lite	0.28	0.24	
	Full Lite 8FT	480	Full Lite	0.28	0.24	
	Half Lite	230	Half Lite	0.20	0.07	
	Half Lite R-Top	239	Half Lite	0.20	0.07	
	Center Arch	243	Half Lite	0.20	0.07	
	3/4 Lite	240	3/4 Lite	0.22	0.09	
i	Full Lite	160	3/4 Lite	0.22	0.09	

HIGH PERFORMANCE LITE FRAME


Our high performance lite frame outperforms the industry standard frame and comes standard on all Signamark decorative glass.




High Impact Strength



Easy to Paint or Stain



Compatible with Properly Vented Storm Door



Limits Ultraviolet Degradation and Discoloration


^{**}Simulated testing based on Prehung Fiberglass Door with polyurethane foam core, prehung wood frame, and triple pane decorative glass.



CRAFTSMANSHIP

HAND CRAFTED GLASS

Distinguished by their artistry and craftsmanship, each glass panel of Signamark is individually handled in a multi-step process of hand cutting, polishing and finishing that creates beveled-glass designs reminiscent of fine crystal. Decorative camings are hand molded into place, accentuating the gentle curves and lines of each artistic design. Individual elements are then hand-pieced into a unique finished statement by our team of skilled artisans and craftsmen.



IMAGES SHOWN ABOVE ARE REPRESENTATIVE OF GLASS TYPES THAT COMPRISE DESIGNS ONLY. GLASS COMPONENTS MAY VARY BY LITE SHAPE.

GLASS STYLES

Traditional techniques of creating art glass produce textures, swirls and air bubbles that add individual character to the glass. These purposeful and unique qualities are integral to the expressive nature of art glass.

PRIVACY RATING



ZINC | PATINA | BRASS










































STJ550 STJ243

- ★ GLASS SHOWN
 ◆ AVAILABLE IN PATINA & ZINC CAMING ONLY
 ★ AVAILABLE IN BRASS & ZINC CAMING ONLY
 # DOES NOT CONTAIN GRAY TEXTURE GLASS



STJ300 | STJ400*







STJ243



A ZINC CAMING

C CLEAR BEVEL

B CLEAR TEXTURE


C




D RIPPLE WAVE

E GRAY TEXTURE

STJ240 Twin



STJ440





STJ460





Α

E










STJ480

CRYSTAL


ZINC | PRIVACY RATING 5

CAMERON[™]

ZINC | PRIVACY RATING 5



A ZINC CAMING **B** CLEAR TEXTURE CLEAR BEVEL ☐ GRAY TEXTURE



A ZINC CAMING **B** CLEAR BEVEL **GRANITE** □ FLUTED **E** SEEDY





CRT429 DOES NOT CONTAIN CLEAR TEXTURE GLASS



CRT243




CMR420





CMR430







CRT243








CRT243 CRT160














CMR420 CMR230 Twin CMR430 CMR230 CMR160

ELLAR™ PATINA | PRIVACY RATING 5



SLR430



C CLEAR BEVEL











SLR230









SLR160


SLR243



























SLR400 SLR230 Twin SLR430

SLR150

SLR230 SLR240 SLR243 SLR160 ₁₃

TURQUOISE**




















TUR230 Twin










TUR243


TUR430
























PROVENCE[™]

ZINC | PATINA | BRASS
































PRV550







☐ GLUE CHIP

E JEWEL


E GLUE CHIP BEVEL

A PATINA CAMING

C DOUBLE GRANITE


B GRANITE

В










PRV230 PRV240 PRV243 PRV160 ₁₇

LEHIGH®

ZINC | PATINA

8/0 Door Glass 22" x 79–15/16"





















LEH420













LEH240 Twin
























LONE STAR™

ZINC | PATINA | PRIVACY RATING 6













• AVAILABLE IN PATINA CAMING ONLY












EMERALD[™] ZINC | PRIVACY RATING 8































SOLITAIRE[™] zincibrass


























SOL550

22 SOL400









A ZINC CAMING


□ GRANITE














CLASSIC

ZINC | BRASS






CLA110




CLA440


CLA240




24 CLA110




CLA400



CLA230 Twin




CLA430



CLA150






















10-YEAR LIMITED WARRANTY

For Purchases Made On or After August 1, 2018

Signamark fiberglass exterior entry and patio door systems, door slabs and other components (hereinafter Product) by Trinity Glass International, Inc. (hereinafter Trinity) are warranted to be free from defects in material and workmanship that would render the Product unfit for its intended use under normal conditions, subject to the conditions and restrictions contained herein. This warranty extends only to the original purchaser of the Product (hereinafter Customer) from Trinity, from the date the Product is first purchased and extending to the following periods:

Limited Lifetime Warranty on all door slabs and sidelite slabs

Limited Lifetime Warranty on PVC jambs, brickmoulds and mullions

Limited Lifetime Warranty on doorlite (glass) frames

10 Years Limited Warranty on insulated glass against seal failure

5 Years Limited Warranty on factory finish (paint and stain)

2 Years Limited Warranty on wood products (i.e. jambs, brickmoulds, mullion) and all other components not specified in this warranty

The following are exceptions that may void the warranty or are not otherwise considered to be defects in material or workmanship:

- 1. Damage caused by failure to comply with the installation, finishing and maintenance instructions and recommendations by Trinity.
- 2. Damage caused by improper storage and handling, abuse, abnormal and unreasonable use by the Customer or other parties beyond the control of Trinity, to include but not limited to damages caused during shipping, handling, installation, or any act(s) performed to the Products not in compliance with Trinity's instructions and recommendations.
- 3. Damage from harsh natural conditions, including but not limited to substantial exposure to sun, salt spray, lightning, windstorms, earthquakes, acts of God, and other severe environmental conditions including but not limited to harsh chemicals or solvents, such as acidic brick washes or stucco leach.
- 4. Broken or shattered glass, normal wear and tear of components, improper maintenance, improper cleaning, improper caulking, and damage caused by pets or wild animals.
- 5. Bowing not exceeding 1/4 inch in the plane of the door. This shall be determined by placing a straight edge on the bowed surface of the door and measuring the point of maximum distance between the bottom of the straight edge and the surface of the door, accounting for panels and glazing recesses.
- 6. For unfinished Products, failure to properly finish all door/sidelite/transom surfaces and/or jamb materials within 2 weeks of installation or 6 months from the date of purchase, whichever is sooner.
- 7. Natural variations in color or texture of any wood grain surface shall not be considered a defect. When exposed to direct sunlight over long periods of time, discoloration may occur, but this will be within the accepted tolerances contained within 5 Delta E units, calculated in accordance with ASTM E 308-85, ASTM E 805-81 and ASTM D 2244-85, effective on the date the product is manufactured. Non-uniform fading and/or color changes are natural occurrences if the exterior surfaces of the products are not equally exposed to the sun and other environmental conditions.
- 8. Natural conditions created during the manufacturing process used in making decorative glass panels such as bubbles, streaks and swirls in decorative glass shall not be considered a defect. Irregularity in glass that is not visible from farther than six feet shall not be considered defects.
- 9. Any damage caused by improper installation of a storm door or the installation of a non-ventilating, full glass storm door shall void this warranty.
- 10. This warranty applies only to Products installed in owner occupied residential dwellings within the U.S., during the Customer's ownership, and is non-transferable.
- 11. Repaired or replaced components are warranted on the same terms and only for the remainder of the original warranty period. Color and grain match are not guaranteed. Trinity reserves the right to discontinue or change products or components. If a product or component is not available, Trinity may select and provide a like product or component of equal quality and price.

Warranty Claim Procedures:

In the event of a defect covered under this warranty, Customer shall comply with the following claim procedures:

- 1. Written warranty claim shall be presented to Trinity.
- 2. Customer's written claim must include the following information:
 - Nature or adequate description of defect(s).
 - Identification of product including size, design, type, and product number (if available).
 - Date of purchase.
 - Proof of purchase.
- 3. Upon Trinity's request, Customer must permit Trinity (or its representative) to inspect the claimed defective Product and provide photographs of the defective Product. Trinity shall have 30 days from receipt of Customer's written claim to exercise this option to inspect.

Upon receipt of a valid claim, Trinity shall have the option to either repair the product or provide a replacement product of like kind and design. Further, in lieu of repair or replacement, Trinity reserves the right to refund the Customer's purchase price (not replacement price). THIS SHALL BE THE CUSTOMER'S SOLE AND EXCLUSIVE REMEDY, AND IN NO EVENT SHALL TRINITY BE RESPONSIBLE FOR LABOR, SHIPPING, FINISHING EXPENSES, REMOVAL OF PRODUCT, INSTALLATION OF REPLACEMENT PRODUCT, OR OTHER INCIDENTAL AND/OR CONSEQUENTIAL CHARGES, COSTS, EXPENSES OR CLAIMS INCURRED BY CUSTOMER.

If Trinity elects to refund the purchase price, this warranty will be prorated from the date of purchase in the following manner: 0-5 years, 100% of the original purchase price; 6-10 years, prorated at 75% of original purchase price; and 11 years and up, 50% of original purchase price.

Trinity makes no other warranty, including a warranty of merchantability or fitness for a particular purpose, with respect to the product or replacement except to the extent provided herein. Invalidation of any one or more of the provisions of this limited warranty shall in no way affect any of the provisions in this limited warranty which remain in full force and effect. Any and all legal actions for any and every breach of this warranty shall be instituted and maintained in any court of competent jurisdiction in the County of King, State of Washington. Trinity reserves the right to modify the terms and conditions of this warranty without prior notice.

Trinity Glass International, Inc. | 33615 1st Way South | Federal Way, WA 98003

Revised 7/30/2018




along with helpful resource information at

SIGNAMARK®







GLASS COLLECTIONS Exterior Doors

SIGNAMARK.COM